Charcoal House, LLC

Steam Activated Carbon

Section 1 – Ide									024 225 2
		m Activated		CAS No.	7440-44	1-0	EINECS No.	931-328-0	
Trade Name and Synonyms:				Steam Activated Carbons					
Chemical Name: Activated Relevant Identified Uses of Liquid and va									
			quid and va	uid and vapor phase purification and catalyst applications					
the Substance									
Restrictions Or		None							
Details of the		I House LLC Questions Contact			s Contact:	Email: CustomerSupport@BuyActivated-			
Supplier:	13830 Hwy 2/71					Charcoal.com			
	Crawford, NE 69339			Emergency Phone:		US: 1-800-222-1222			
	308-665-1566					The Netherlands, Antigifcentrum			
						+31 30 274 88 88			
						Belgium, Antigifcentrum +32 70 245 245			
						Germany, Giftnotrufzentrale-Berlin			
						+49 30 19240			
						France Centre Anti-Poison +33 1 40 05 48 48			
							U.K Poisons Info. Center +44 20 7771 5310		
Section 2 – Haz									
Classification o				oduct is a S					8
GHS Classificati		1	assified		Label Eleme				
CLP Classification	on:	Not C	Not Classified		GHS Labeling		Symbols: None		
							Signal Word: None		
				Hazard Statement: None					
Precautionary Statement:			Activated carbon is not considered to be hazardous as defined by OSHA's Hazard Communication Standard 29 CFR 1910.1200.						
Exposure Limits:			OSHA: PEL = 15 mg/m ³ as total dust; 5 mg/m ³ as respirable fraction						
		ACGIH: TLV = 10 mg/m^3 as total dust; 3 mg/m^3 as respirable fraction							
The "nuisance o									
particulates. Ex									
eye, ears, and n									
workplace expo					significant he	ealth effe	ct. Prolo	onged or repea	ted exposure
to dust may cau								_	
Wet activated c									
encountered. V									tent should
be determined a									
Contact with str		ers such a	is ozone, lic	luid oxygen	, permangar	nate, etc.,	may re	sult in fire.	
This product is r		WWW 010 011	بريان مريان ما	. / ! ! 4					
Powdered mate Other Hazards:	riai may to	rm an ex		t/air mixtur	e.				
			N/A						
Section 3 – Com						T=		T =	
Substances: Activated Carbon 100%			6	CAS NO.	7440-4	4-0	EINECS No.	931-328-0	
Mixtures:	N/			***********					
Section 4 – First				101					
Description	Inhalation: Remove to fresh air. If breathing has stopped, administer artificial respiration and								
of First Aid	supply oxygen. If problems persist, seek medical attention.								
Measures:	Eye Contact: In case of contact, immediately flush eyes with plenty of water until irritation								

subsides. If irritation persists, seek medical attention.



1	ontact: Normal skin contact is not known to cause a significant health effect. Particles					
I I		ally washed off of skin with soap and clean water. Remove and launder				
i i		ning before reuse.				
Inges	tion: If swalld	owed, wash mouth, do not induce vomiting. Immediately give water. Never				
give a	give anything by mouth to an unconscious person. If symptoms develop, seek medical attention.					
Most Important Symp	toms and	Skin contact may cause skin irritation.				
Effects, acute and dela	ayed:					
Indication of Any Imm	ediate	Treat symptomatically.				
Medical Attention and	d Special					
Treatment Needed:						
Section 5 - Firefightin	g Measures					
Extinguishing Media:	Water Spr	ay, Dry Chemical, Foam, or Carbon Dioxide Blanket				
		urns slowly without flame. Activated carbon which has been allowed to				
1 · · · · · · · · · · · · · · · · · · ·		or a long time in a confined space may accumulate carbon monoxide above its				
		osive limit. Avoid stirring up dust clouds. Under certain conditions, carbon				
		ixtures can produce an explosive atmosphere. If there are dust clouds and				
		gnition energy, flash fires or explosions may occur. Products of combustion				
		in carbon monoxide and carbon dioxide. Do not enter permitted confined				
		nclosed area without proper PPE.				
		ble protective equipment. NIOSH- approved self-contained breathing apparel				
		quired in a closed area.				
Section 6 – Accidental	Release Mea	sures				
Personal Precautions,	Avoid dust	formation and ignition sources. Wear suitable protective equipment. See also				
Protective Equipment	1					
Emergency						
Procedures:						
Environmental	Material is	not toxic and can be picked up by sweeping, shoveling, or vacuuming.				
Precautions:		should be made to prevent washing, draining, or directing material to storm or				
sanitary se						
Methods and Materia	Remove m	aterial mechanically. Clean polluted areas with water. If necessary remove				
for Containment and	1	ith explosion-proof suction system. All local regulations regarding health and				
Clean-up:		nust be followed for disposal of activated carbon.				
Reference to Other		See also section 8.				
Sections:						
Section 7 – Handling A	nd Storage					
Precautions For Safe H		Make sure to provide adequate ventilation in enclosed areas. Avoid				
		conditions which create dust. Do not breathe dust. Keep product and dust				
		away from sources of ignition. Wear adequate protective equipment. Keep				
		away from heat and sources of ignition. No smoking near areas where				
		material is stored or used.				
Conditions For Safe Sto	orage:	Store in a dry and cool environment. Keep away from heat and sources of				
		ignition. Enclosed storage vessels and silos allow for hermetical seal and				
		grounding. Access to enclosed storage of wet activated carbon should be				
		restricted.				
Incompatibilities:		Strong oxidizing acids; other strong oxidants				
Specific End Use:		N/A				
Section 8 – Exposure C	ontrols / Per					
	, , , , , , , , , , , , , , , , , , , ,					



			2				
Control Parameters:	OSHA: PEL = 15 mg/m ³ as total dust; 5 mg/m ³ as respirable a ACGIH: TLV = 10 mg/m ³ as total dust; 3 mg/m ³ as respirable						
Engineering Controls		Use with adequate ventilation to maintain exposures below occupational limits. Use local					
-inginicering control		ust ventilation to control airborne dust. Dust should be controlled at point of					
	1	operation.					
Personal Protection		otection	: Approved respirator may be necessary to	maintain exposures			
Information:			imits if local exhaust ventilation is not adequate. Select				
		IOSH-approved protection or, as appropriate to location, a recognized					
		d acceptable national or international consensus standard. Proper					
	1	lection should be determined by adequately trained personnel and based on					
		nt(s), the degree of potential exposure and published respirator protection					
	factors.	mit(a), the degree of potential exposure and published respirator protection					
	Eye Protection	n: Wear safety glasses with side shields and in areas of high dust					
	concentrations	wear ch	emical goggles.				
	Hand Protection	on: Wear	suitable gloves to prevent repeated or prol	onged skin contact.			
	Additional Info	dditional Information: Whenever works enter a vessel containing activated carbon, the					
	vessel's oxyge	n content	should be determined and work procedure	s for potentially low			
	oxygen areas should be followed.						
Section 9 – Physical a							
Information on Basic	Physical and Cher	nical Prop	perties:				
Appearance:	Solid, black, no odor		Flammability:	N/A			
Odor:	Odorless		Upper Flammability/Explosive Limit:	N/A			
Odor Threshold:	N/A		Lower Flammability/Explosive Limit:	N/A			
pH:	N/A		Vapor Pressure:	N/A			
Melting Point:	N/A		Vapor Density:	N/A			
Freezing Point:	N/A		Bulk Density (g/cm³):	0.50-1.00			
Initial Boiling Point:	N/A		Solubility:	Insoluble			
Boiling Range:	N/A		Partition Coefficient: n-octanol/water:	N/A			
Flash Point:	N/A		Auto Ignition Temperature:	Not self-heating			
Evaporation Rate:	N/A		Decomposition Temperature:	Not Determined			
Other Info.:	N/A						
Section 10 - Stability	and Reactivity						
Reactivity:		N/A					
Chemical Stability:		Stable under normal conditions					
Hazardous Polymerization:		Will Not Occur					
Possibility of Hazardo	ous Reaction	Keep away from strong oxidizing acids; other strong oxidants.					
Conditions to Avoid:		Extreme heat and open flames. Avoid accumulation of finely ground					
		dust. Minimize generation of airborne dust. Contact with					
		incompatible materials.					
Incompatible Materials:			Heat and ignition source, strong oxidizing acids; other strong oxidants				
Hazardous Decomposition Products			Material does not decompose at ambient temperatures				
Section 11 – Toxicolo	gical Information		·				
Information on Toxic	ological Effects:						
Routes of Entry: Inhalation, ingestion, skin, and eye contact							
Acute Toxicity:	Non-toxic						
Irritation:	Can be irritating to	exposed	d skin, eyes and respiratory system.				
Corrosivity:	No data available						
Sensitization:	No data available	***************************************					
	was a salidate						



Repeated Dose

Toxicity:

Steam Activated Carbon

Without proper respiratory protection measures, particles inhaled with air in the course of

years or decades may cause chronic respiratory diseases if the appropriate dust exposure

loxicity:	limits are exceeded.					
Carcinogenicity:	Potential Carcinogen by: NTP? No IARC? No OSHA? No					
Mutagenicity:	No data available					
Reproduction:	No data avail	able				
Toxicity:						
Section 12 – Ecological Information						
Toxicity:		N/A				
Persistence and Degradability:		Not expected to degrade.				
Bioaccumulation Potential:		Low bioaccumulation potential as negligible water solubility restricts route of				
		exposure in the aquatic environment.				
Mobility in Soil:		Mobility is not expected because insoluble.				
Results of PBT and vpvB		N/A				
Assessment:						
Other Adverse Effects:		No data available.				
Section 13 – Disposal Considerations						
		eral, State, Local regulations and other countries regarding health and pollution				
		carbon no specified disposal methods apply. Used or spent activated carbon				
	e with applicable laws/regulations. Reuse or recycle material whenever					
possible.						
Section 14 - Transpo	rt Information					
UN Number:		N/A, Not ADR regulated, Not IMO Regulated				
UN Proper Shipping Name:		N/A				
Transport Hazard Cla	ss(es):	N/A				
Packing Group:		N/A				
Environmental Hazards:		N/A				
Marine Pollutant:		No				
Special Precautions for	or User:	Wet activated carbon depletes oxygen from air and therefore dangerously low				
10.000 /10.00		levels of oxygen may be encountered. Whenever workers enter a vessel				
IMDG/IMO:		containing activated carbon, the vessel(s) oxygen content should be				
		determined and work procedures for potentially low oxygen areas should be				
Tuesday and all and a D. I.	I. A	followed.				
Transportation in Bulk According to Annex II and V of		Non HME				
COUNTY SHOW IN CONTRACT OF THE PARTY OF THE						
MARPOL73/78 and the IBC Code Section 15 – Regulatory Information						
Safety Health and Environmental		N/A				
Regulations/ Legislation Specific		IV/A				
for the Substance or Mixture						
Chemical Safety Assessment		N/A				
-		IV/A				
Section 16 – Other Information						

The information is, to the best of our knowledge and belief, accurate and reliable as of the date compiled. However, no representation, warranty or guarantee, express or implied, is made as to its accuracy, reliability or completeness,

recognized technical sources. It relates specifically to the product designated and may not be valid for the product

DISCLAIMER: All information appearing herein is based upon data obtained from the manufacturer and/or

when used with any other materials or products or in a particular process.



Steam Activated Carbon

Page 5 of 5

It is the user's responsibility to review this information, satisfy itself as to its suitability and completeness, and pass on the information to its employees or customers in accordance with applicable hazard communication and GHS requirements. We do not accept responsibility for any loss or damage which may occur from the use of this information.